

# Advanced Materials Science for Young Innovators

Materials Science · Practice Test · 18 Questions

---

**1. Which class of materials exhibits electrical conductivity between that of conductors and insulators, and is crucial for modern electronics like transistors and solar cells?**

- A) Metals
- B) Polymers
- C) Semiconductors
- D) Ceramics

**2. The process of 'tempering' is primarily used to improve the toughness and reduce the brittleness of which common engineering material?**

- A) Aluminium
- B) Steel
- C) Copper
- D) Glass

**3. What unique property of graphene, a single layer of carbon atoms arranged in a hexagonal lattice, makes it a candidate for advanced electronics and strong, lightweight composites?**

- A) High magnetic permeability
- B) Exceptional electrical and thermal conductivity
- C) Extreme resistance to chemical corrosion
- D) Ability to refract light in a specific pattern

**4. Which of the following is a common characteristic of ceramics, making them suitable for applications like ovenware and spark plugs, but also contributing to their tendency to shatter?**

- A) High ductility
- B) Excellent electrical conductivity
- C) Brittle nature
- D) Low melting point

**5. Superconductors are materials that exhibit zero electrical resistance when cooled below a critical temperature. What phenomenon do they famously demonstrate?**

- A) Ferromagnetism
- B) Piezoelectricity
- C) Meissner effect
- D) Photoelectric effect

**6. Polymers are large molecules made up of repeating subunits. Which term describes the process by which smaller monomer units join together to form a long polymer chain?**

- A) Decomposition
- B) Polymerization
- C) Crystallization
- D) Oxidation

**7. Alloys are mixtures of metals or a metal and one or more other elements. Brass, an alloy commonly used for musical instruments and decorative fixtures, is primarily composed of which two metals?**

- A) Iron and Carbon
- B) Copper and Zinc
- C) Aluminium and Magnesium
- D) Gold and Silver

**8. The strength of a material that resists permanent deformation is known as its:**

- A) Hardness
- B) Elasticity
- C) Ductility
- D) Yield Strength

**9. Which of the following is a composite material formed by reinforcing a polymer matrix with strong fibres, often used in aerospace and automotive industries for its high strength-to-weight ratio?**

- A) Pure Aluminium
- B) Carbon Fibre Reinforced Polymer (CFRP)
- C) Cast Iron
- D) Polyethylene

**10. The ability of a material to withstand a sudden impact or shock without fracturing is termed:**

- A) Tensile Strength
- B) Hardness
- C) Toughness
- D) Compressive Strength

**11. Which type of material is characterized by its amorphous (non-crystalline) structure and often exhibits transparency, making it useful for windows and containers?**

- A) Metals
- B) Polymers
- C) Ceramics
- D) Glasses

**12. The phenomenon where certain materials change shape under applied stress and return to their original shape when the stress is removed is called:**

- A) Plasticity
- B) Viscosity
- C) Elasticity
- D) Brittleness

**13. A 'smart material' is one that can respond to external stimuli. Which of the following is an example of a smart material that changes shape when heated and can be used in actuators?**

- A) Stainless Steel
- B) Nitinol (Nickel-Titanium Alloy)
- C) Polypropylene
- D) Silicon

**14. In materials science, 'corrosion' refers to the degradation of a material due to chemical reactions with its environment. Which element is most commonly associated with the rusting of iron?**

- A) Carbon
- B) Oxygen
- C) Nitrogen
- D) Hydrogen

**15. What is the primary difference in the atomic structure between a crystalline material and an amorphous material?**

- A) Crystalline materials have a fixed molecular weight, while amorphous materials do not.
- B) Crystalline materials have atoms arranged in a highly ordered, repeating lattice, while amorphous materials have a disordered arrangement.
- C) Crystalline materials are always metals, while amorphous materials are never metals.
- D) Crystalline materials are always solids, while amorphous materials can be gases.

**16. The ability of a material to be drawn out into a thin wire without breaking is known as:**

- A) Malleability
- B) Brittleness
- C) Ductility
- D) Hardness

**17. Which of the following materials is typically an excellent electrical insulator, commonly used in high-voltage applications and cookware handles due to its low thermal conductivity?**

- A) Copper
- B) Aluminium
- C) Ceramic (e.g., Porcelain)
- D) Gold

**18. The process of heating a material to a high temperature and then rapidly cooling it to change its microstructure and properties is called:**

- A) Annealing
- B) Tempering
- C) Quenching
- D) Hardening