

Electrochemistry and Potentiometry Explained

Chemistry · Practice Test · 20 Questions

1. What scientific field deals with potential differences that arise spontaneously in systems?

- A) Electrolysis
- B) Potentiometry
- C) Galvanic cells
- D) Electrolytic cells

2. Alessandro Volta discovered in the 19th century that electric current could be generated by what?

- A) Light exposure
- B) Chemical reactions
- C) Mechanical friction
- D) Magnetic fields

3. When a zinc rod is placed in water, what charge does the metal rod acquire over time?

- A) Positive
- B) Neutral
- C) Negative
- D) Alternating

4. In the context of a zinc rod in water, what happens to the liquid as zinc ions enter the solution?

- A) It becomes negatively charged.
- B) It remains neutral.
- C) It becomes positively charged.
- D) It evaporates rapidly.

5. What is reached when the rate of ions leaving a metal rod into a solution equals the rate of ions returning?

- A) A chemical reaction
- B) An equilibrium state
- C) A state of dissolution
- D) A phase change

6. In electrolysis of a ZnSO₄ solution with a zinc rod as the anode, what is extracted from the rod?

- A) Protons
- B) Neutrons
- C) Electrons
- D) Water molecules

7. If a zinc rod is used as a cathode in an electrolytic process, what is supplied to it?

- A) A deficit of electrons
- B) An excess of electrons
- C) Zinc ions
- D) Sulfate ions

8. When a metal rod is placed in a solution already containing ions of that metal, what is reached sooner than in pure water?

- A) A state of dissolution
- B) A chemical reaction
- C) An equilibrium state
- D) A phase transition

9. The potential difference between a metal rod and its ion solution is dependent on the concentration of meta-ions. How does increasing the concentration of metal ions ([M]) affect the equilibrium of the reaction $M \rightleftharpoons M^{n+} + ne^{-}$??

- A) It shifts the equilibrium further to the right.
- B) It has no effect on the equilibrium.
- C) It shifts the equilibrium further to the left.
- D) It causes the metal to decompose.

10. What is the term for the specific ion concentration where a metal rod will neither send ions into solution nor have ions deposited onto it?

- A) Saturation concentration
- B) Equilibrium concentration
- C) Boundary concentration
- D) Solubility limit

11. According to the text, the 'solubility tendency' (oplosdrang) of metals is greater for which type of metals?

- A) Noble metals
- B) Less reactive metals
- C) More reactive metals
- D) Metals with low melting points

12. What is the electrochemical normal potential (E_o) defined as?

- A) The potential difference at any concentration.
- B) The potential difference between a metal rod and a solution of 1 mol/L of its ions.
- C) The absolute potential of a metal in a vacuum.
- D) The potential difference in pure water.

13. What is the normal potential of the hydrogen electrode (E_o)?

- A) +0.00 V
- B) -0.76 V
- C) +0.34 V
- D) 1.00 V

14. In a metal displacement reaction, a metal with a lower normal potential will displace a metal with a higher normal potential from its ionic form. This means the metal with the lower normal potential acts as a stronger:

- A) Oxidizer
- B) Reducer
- C) Electrolyte
- D) Catalyst

15. What is the primary function of a salt bridge in an electrochemical cell?

- A) To provide a source of electrons.
- B) To transport charge between the two half-cells and close the circuit.
- C) To increase the concentration of ions in the solutions.
- D) To generate heat.

16. A Daniell cell, consisting of zinc and copper half-cells, has an electromotive force (EMF) of approximately:

- A) 0.76 V
- B) 0.34 V
- C) 1.10 V
- D) 1.50 V

17. The Nernst equation describes the dependence of a metal rod's potential on its ion concentration and:

- A) Pressure
- B) Temperature
- C) Light intensity
- D) Humidity

18. In a Leclanché dry cell, what acts as the cathode?

- A) The zinc casing
- B) A carbon rod coated with manganese dioxide (MnO_2)
- C) Ammonium chloride solution
- D) The conductive filler

19. During the charging of a lead-acid battery, what is formed on the positive lead plate?

- A) Lead (Pb)
- B) Lead sulfate (PbSO_4)
- C) Lead dioxide (PbO_2)
- D) Sulfuric acid (H_2SO_4)

20. When a lead-acid battery is discharging, what happens to the concentration of sulfuric acid?

- A) It increases.
- B) It remains constant.
- C) It decreases.
- D) It decomposes.