Ecological Supply Chain Dynamics

Supply Chain Management · Answer Key · 15 Questions

1. Which species of ant utilizes a 'trail-based supply chain' to optimize the transport of resources from food sources to the colony, demonstrating dynamic pathing efficiency?

A) Solenopsis invicta
B) Atta cephalotes
C) Oecophylla smaragdina
D) Linepithema humile

2. In the context of nutrient cycles in ocean ecosystems, what is the primary biological mechanism responsible for the vertical supply chain distribution of carbon from the surface to the deep sea?

A) Photosynthesis
B) The biological pump
C) Upwelling currents
D) Chemosynthesis

3. Honeybees employ a decentralized supply chain model for colony survival. What specific behavior allows foragers to communicate the exact location and quality of resources to others in the hive?

A) Pheromone marking
B) The waggle dance
C) Auditory stridulation
D) Trophallaxis

4. The migration of Arctic Terns represents a long-distance logistics network. What specific environmental factor provides the 'fuel' efficiency needed to maintain their annual 44,000-mile supply chain?

A) Earth's magnetic field
B) Atmospheric wind patterns
C) Bioluminescent prey
D) Thermal updrafts

Quixly | This material was auto-generated. Quixly is not liable for errors or omissions. Visit quixlylearn.com to report corrections.

5. Squirrels demonstrate 'caching' behavior that functions as an inventory management system. Which cognitive strategy do they employ to minimize the risk of inventory loss in their scatter-hoarding supply chain?

A) Spatial memory
B) Random distribution
C) Social hierarchy
D) Daily rotation

6. In fungal networks, mycelium acts as a logistical supply chain for forest ecosystems. What is the name of the symbiotic exchange where trees trade carbon for soil minerals?

A) Rhizosphere transfer
B) Mycorrhizal network
C) Xylem conduit
D) Phloem transport

7. Which animal creates a 'food supply chain' by farming algae on its own fur to consume during periods of scarce resource availability?

A) Sea otter
B) Sloth
C) Beaver
D) Manatee

8. Leafcutter ants engage in a complex agricultural supply chain by cultivating specific fungi. What is the primary 'raw material' they collect to feed the fungal crop?

A) Dead insects
B) Fresh leaves
C) Soil minerals
D) Nectar

9. The 'Great Migration' of wildebeest in the Serengeti functions as a seasonal supply chain for apex predators. What primarily dictates the logistics of this mass movement?

A) Temperature gradients
B) Rainfall patterns
C) Magnetic orientation
D) Lunar cycles

Quixly | This material was auto-generated. Quixly is not liable for errors or omissions. Visit quixlylearn.com to report corrections.

10. Beavers manage a 'water-based logistics network' by building dams. What is the primary operational advantage of this infrastructure for their resource transport?

A) Preventing predator access
B) Increasing deep-water safety
C) Reducing energy expenditure in timber transport
D) Regulating oxygen levels

11. Some species of coral reefs utilize a symbiotic supply chain where polyps house zooxanthellae. What critical nutrient is primarily cycled within this closed-loop internal supply chain?

A) Nitrogen
B) Iron
C) Magnesium
D) Sulfur

12. In the logistics of sea turtle navigation, what environmental phenomenon acts as the primary 'GPS' for their oceanic supply chain back to birth beaches?

A) Ocean currents
B) Geomagnetic imprinting
C) Celestial alignment
D) Scent gradients

13. Termites optimize their 'mound logistics' by maintaining a constant internal temperature. What is the core mechanism of this natural climate-controlled inventory storage?

A) Active evaporative cooling
B) Ventilation chimney architecture
C) Thermal mass of mud
D) Symbiotic bacterial heat

14. Which marine mammal creates a 'bubble net' logistics strategy to concentrate school-based fish resources for efficient mass extraction?

A) Orca
B) Humpback whale
C) Bottlenose dolphin
D) Beluga whale

15. In plant-based supply chains, what structural tissue acts as the primary 'conveyor belt' for the transport of sugars from leaves to storage organs?

A) Xylem

B) Phloem

C) Stomata

D) Cambium

Quixly | This material was auto-generated. Quixly is not liable for errors or omissions. Visit quixlylearn.com to report corrections.